

**AMENDMENT NUMBER 3 TO THE BID DOCUMENTS**

Amendment Date: 12/5/16

BID DOCUMENT NUMBER 16/17-14

ITB Auditorium Lecture Hall Sound System – Loxahatchee Groves Campus

**A. This Amendment shall be considered part of the bid documents for the above-mentioned project as though it had been issued at the same time and shall be incorporated integrally therewith. Where provisions of the following supplementary data differ from those of the original bid documents, this Amendment shall govern and take precedence.**

**B. Bidders are hereby notified that they shall make any necessary adjustments in their estimates as a result of this Amendment. It will be construed that each bidder's proposal is submitted with full knowledge of all modifications and supplemental data specified herein.**

Except as described below, the original bid document remains unchanged. The bid documents are modified and/or clarified, as follows:

**On page 11, section B2. SCHEDULE, is modified as follows:**

Deadline for Written Questions	<del>November 29, 2016</del> <del>November 30, 2016</del> <b>December 7, 2016</b>
Answers to Questions posted on Palm Beach State College Purchasing website <a href="http://www.palmbeachstate.edu/purchasing/competitive-solicitations.aspx">http://www.palmbeachstate.edu/purchasing/competitive-solicitations.aspx</a>	<del>November 30, 2016</del> <del>December 2, 2016</del> <b>December 9, 2016</b>
Bids Due: PBSC Purchasing Department Building PS100 (MS#27) 4200 Congress Ave. Lake Worth, FL 33461	<del>December 8, 2016 2 p.m. local time opening will follow immediately in Purchasing Conference room, PS100</del>  <b>December 13, 2016 2 p.m. local time opening will follow immediately in Purchasing Conference room, PS100</b>
Evaluation/screening of bids	<del>December 9, 2016</del> <b>December 14, 2016</b>
Award date	<del>December 12, 2016</del> <b>December 16, 2016</b>

**Questions:** Questions can be submitted using the form in Appendix D and **must be submitted via email to [purchasing@palmbeachstate.edu](mailto:purchasing@palmbeachstate.edu)** by December 7, 2016. Phone calls cannot be accepted.

**On page 14, section B6. PRODUCT SPECIFICATIONS, add the following:**

Specification Change

Due to the architectural design of the ceiling in the auditorium, the ceiling speakers are to be eliminated from the worksheet.

- A supplemental Audio Visual/Media Excel Worksheet has been provided online at <http://www.palmbeachstate.edu/purchasing/Documents/Auditorium-Lecture-Hall-Equipment-Lists-SUPPLEMENTAL-1617-14-Auditorium-Lox.xlsx>, using this worksheet for the following:
  - Add wall mounted speakers and related components, including digital signal processing (DSP);

- Two (2) junction boxes on the back wall for speakers, one (1) on each side of the dividing partition approximately centered at 14'3" AFF piped back to control room. (In lieu of the four (4) speakers that were shown on the drawings but not installed.);
- Two (2) junction boxes on the front wall for speakers, one (1) on each end of the motorized projection screens above the front camera locations, at 14'-3" AFF piped back to the control room;
- Two (2) junction boxes for power adjacent to camera junction boxes on the front wall at 96" AFF;
- A new wall mounted schematic has been provided online at <http://www.palmbeachstate.edu/purchasing/Documents/LG-AUDIO-REVISIONS-12.1.16-Loxahatchee-Grove-Campus.pdf>
- Vendor is to provide their own lift for this project.


BIDDER MUST ACKNOWLEDGE THIS AMENDMENT AS BEING AN INTEGRAL PART OF THE BID DOCUMENTS BY MANUALLY SIGNING BELOW AND ATTACHING THE SIGNED AMENDMENT TO THE BID FORM:

Company Name \_\_\_\_\_

Contact Person \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_

Approved for posting:  \_\_\_\_\_